AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

(Currently Amended) A casting process comprising the steps of:
mixing one or more kind of an aggregate granular material, one or more kind of a
water-soluble binder, and water, to form a mixture of said aggregate granular material,
and stirring said mixture to cause it to foam;

charging said foamed mixture into a molding space, and evaporating the moisture within said charged mixture to harden said charged mixture to mold a mold with said hardened mixture;

assembling at least one mold that is cast in said hardened mixture and [[the]]a mating mold to form a completed mold;

pouring molten metal into said completed mold;

removing said completed mold from a cast article that is composed of the solidified molten meal during a process of cooling said cast article after said molten metal solidifies; and

applying a heat treatment to said cast article[[.]],

wherein said one or more kind of said water-soluble binder is at least either a polyvinyl alcohol or a derivative thereof, or at least either a starch or a derivative thereof.

2. (Currently Amended) A casting processes process as recited in claim 1, wherein said at least one mold that is cast in said hardened mixture is a core, and said mating mold is a master mold.

- 3. (Currently Amended) A casting processes process as recited in claim 2, wherein said master mold is a metal mold.
- 4. (Currently Amended) A casting processes process as recited in claim 2, wherein said master mold is a sand mold.
- 5. (Currently Amended) A casting process as recited in any one of the preceding claims claim 1, further comprising steps of returning said aggregate granular material, and recovering said returned aggregate granular material.
- 6. (Original) A casting process as recited in claim 5, further comprising steps of recycling and using said returned and recovered aggregate granular material for molding a mold.
- 7. (Original) A casting process as recited in claim 5 or 6, wherein said steps of returning and recovering said aggregate granular material are mechanical recovering processes.
- 8. (Currently Amended-Withdrawn) A casting process as recited in any of the preceding claims claim 1, wherein said cast article is cast in an aluminum alloy or a magnesium alloy.
- 9. (Withdrawn) A casting process as recited in claim 8, wherein said heat treatment is a T6 treatment or a T7 treatment.
- 10. (Currently Amended-Withdrawn) A casting process as recited in any oneof claims 1-7claim 1, wherein said cast article is cast in a casting iron, a casting steel, or a ferrous alloy.
- 11. (Currently Amended-Withdrawn) A casting process as recited in any one-of claims 1-7claim 1, wherein said cast article is cast in a copper alloy.

- 12. (Currently Amended) A casting process as recited in any one of claims 1-7claim 1, wherein said step of removing said completed mold from said cast article is to apply shakes [[in]]to said mold.
- 13. (Currently Amended) A casting process as recited in any one of claims 1-7claim 12, wherein said step of applying said shakes [[in]]to said mold includes impact forces of less than 1MPa at an operating frequency at less than 30Hz being applied [[in]]to said mold for less than 30 seconds, within from 5 to 20 minutes after said molten metal is poured.

14-15. (Cancelled).